

Certificate of Analysis

Description:	Human Plasma from donor with Autoimmune Disease
Catalog Number:	10050
Lot Number:	1685SE12
Vial Content Volume:	1 ml
Storage:	-70C

Donor Information

Donor Id:	271
Age:	38
Race:	Caucasian
Gender:	Female
ABO:	Unknown

History

Diagnosis:	Autoimmune Disease
Onset:	at age 21
Last flare:	1-2 months prior to this donation
Notes:	Donor reports she has arthritis and fibromyalgia.

Donors are tested for the blood borne pathogens HIV-1 and 2, Hepatitis B, Hepatitis C and HTLV-1, and are negative. However human plasma should still be handled as if potentially infectious following biosafety level 2 procedures. **N/T=Not Tested, ND=Not Detected**

Donor Information

Lot Number: 1685SE12

Lab Values

<i>ANA:</i>	Positive
<i>dsDNA:</i>	5
<i>SM Autoantibody</i>	<0.2
<i>Ribosomal P</i>	<0.2
<i>Chromatin</i>	0.5
<i>RNP</i>	1.6
<i>SMRNP</i>	6.8
<i>SSA Autoantibody</i>	6.3
<i>Centromere Autoantibody B</i>	<0.2
<i>SSB Autoantibody</i>	<0.2
<i>JO-1 Autoantibody</i>	<0.2
<i>SCL 70 Autoantibody</i>	<0.2

Notes: Laboratory values determined on Sept. 26, 2012.

Donors are tested for the blood borne pathogens HIV-1 and 2, Hepatitis B, Hepatitis C and HTLV-1, and are negative. However human plasma should still be handled as if potentially infectious following biosafety level 2 procedures. N/T=Not Tested, ND=Not Detected

Donor Information

Lot Number: 1685SE12

Current Medications

Medications	Dosage
Metformin	500mg, daily
Gabapentin	300mg, 3X daily
Atenolol	100mg, daily
Abilify	10mg daily
Nuvigil	150mg, 2X daily
Lovastatin	40mg, daily
Fluoxetine	30mg, daily
Etodolacer	400mg, 2X daily, as needed
Meclizine	25mg, 3X daily, as needed
Prilosec OTC	20mg, daily
Asthma Inhaler	As needed

Prior Medications

Medications	Dosage
Not Available	Not Available

Note: Lists of medications on this Certificate of Analysis are provided by the donor at time of blood donation. Therefore medication lists may and often do vary from lot to lot even from the same donor.

Donors are tested for the blood borne pathogens HIV-1 and 2, Hepatitis B, Hepatitis C and HTLV-1, and are negative. However human plasma should still be handled as if potentially infectious following biosafety level 2 procedures. **N/T=Not Tested, ND=Not Detected**