

## Certificate of Analysis

Cell count	1.5 million per vial
Viability	95%
CD8+	99.1%
CD8+NegativeTetramer+	1.7%
CD8+MAGE-A10 Dextramer+	31.2%
Sterility	Negative for Bacteria, Yeast and Fungi

### *Donor Information*


Donor ID	401
Age	30
Gender	Female
Race	Caucasian
Height	5'3"
Weight	277
ABO Type	A negative

### *HLA typing*

	Allele 1	Allele 2
HLA-A	*0201	*0201
HLA-B	*18	*40
HLA-C	*03	*07
HLA-DRB1	*08	*12


Donors are tested for the blood borne pathogens HIV-1 and 2, Hepatitis B, Hepatitis C and HTLV-1 and are negative. Cells should still be handled as if potentially infectious following biosafety level 2 procedures

**FOR RESEARCH USE ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE**



Neg tetramer PE = HLA-A\*0201-PE iTag MHC Tetramer (MBL International, Woburn, MA); MAGE A10 tetramer = MAGE-A10<sub>254-262</sub> peptide (GLYDGMEHL)/HLA-A\*0201-PE MHC Dextramer (Immudex, Denmark)

### IFN-gamma Secretion



20,000 T cells were plated post-thaw in a 96-well round-bottom plate in the presence of 20,000 T2 cells, a B-LCL expressing HLA-A\*0201) alone or in the presence of increasing concentrations OF HLA-A\*0201 restricted CMV pp65 peptide (NLVPMVATV) or HLA-A\*0201 restricted MAGE-A10<sub>254-262</sub> peptide (GLYDGMEHL). Culture media used in this assay is RPMI 1640 + 10% FBS. After an overnight (18-24h) incubation period, supernatant was collected from each well. IFN- $\gamma$  concentration was analyzed using the Meso Scale Discovery IFN- $\gamma$  assay.

**FOR RESEARCH USE ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE**